


## TENDER DRAWING INDEX


## TENDER DRAWINGS


70019782-0100	LOCATION PLAN AND SITE EXTENTS
70019782-0101	GENERAL ARRANGEMENT SHEET 1 OF 2
70019782-0102	GENERAL ARRANGEMENT SHEET 2 OF 2
70019782-0103	SETTING OUT DETAILS SHEET 1 OF 2
70019782-0104	SETTING OUT DETAILS SHEET 2 OF 2
70019782-0201	SITE CLEARANCE SHEET 1 OF 2
70019782-0202	SITE CLEARANCE SHEET 2 OF 2
70019782-0701	BUS LAY-BY PAVEMENT CONSTRUCTION DETAIL
70019782-1101	KERBS, FOOTWAYS AND PAVED AREAS SHEET 1 OF 2
70019782-1102	KERBS, FOOTWAYS AND PAVED AREAS SHEET 2 OF 2
70019782-1103	HIGHWAY TYPICAL CONSTRUCTION DETAIL SHEET 1 OF 2
70019782-1104	HIGHWAY TYPICAL CONSTRUCTION DETAIL SHEET 2 OF 2
70019782-1105	RAMP PLAN, PROFILE AND CROSS-SECTION
70019782-1201	SIGNAGE AND ROAD MARKINGS SHEET 1 OF 2
70019782-1202	SIGNAGE AND ROAD MARKINGS SHEET 2 OF 2
70019782-1203	SIGNAGE AND ROAD MARKING SCHEDULE
70019782-1204	SIGNAGE FOUNDATION DETAILS





















# TYPE B UNBOUND COMPACTED AGGREGATE FOOTWAY, SURFACE COURSE ONLY



TYPICAL BUS LAY-BY PAVEMENT CONSTRUCTION DETAIL

#### NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
- 2. DO NOT SCALE FROM THIS DRAWING.
- 3. DRAINAGE HAS NOT BEEN DESIGNED FOR THE INTRODUCTION OF THE PROPOSED BUS
- 4. FOR CONSTRUCTION DETAILS REFER TO DRAWING 70019782-1100 SERIES.

Rev Date Description By Chk App



1 Capital Quarter, Tyndall Street, Cardiff, CF10 4BZ

NORTH & MID

Tel: 44-(0)29-2076-9200

Site/Project


A470 LLANRWST
PEDESTRIAN AND
CYCLEWAY FACILITY


WALES TRUNK ROAD AGENT


Γitle:

TYPICAL BUS LAY-BY PAVEMANT CONSTRUCTION DETAIL

Drawn: SS		Checke	d:	AB					
Designed: CR		Approved: NH							
Date: 11/04/2016	Scale:	N.T.S.	АЗ	Sheet:	1 (	OF 1			
Project Number:	Project Number:					Revision:			
70019782		07	01		-				
© Copyright Parsons Brinckerhoff									
-									




























### **KERB TYPE** DKL1





**KERB TYPE** DKR1

### **KERBING**










KASSEL KERB DETAIL TYPE KK

WILL VARY



#### NOTES

- 1. ALL DIMENSIONS ARE IN MILLIMETRES. 2. UNLESS STATED OTHERWISE IN THE
- CONTRACT, PRECAST CONCRETE KERBS, CHANNEL, EDGINGS AND QUADRANTS SHALL COMPLY WITH BSEN1340:2003 AND CLAUSE 1101 OF THE SPECIFICATION FOR HIGHWAY WORKS AND APPENDIX 11/1 TO THE SPECIFICATION.
- 3. PROFILE TYPE AND FIGURE REFERENCES ARE IN ACCORDANCE WITH BS7263:PART 3:2001 AND BSEN1340:2003
- 4. MORTAR SHALL BE PORTLAND CEMENT TO TABLE 24/1, DESIGNATION (I) OF THE SPECIFICATION OF HIGHWAY WORKS 1998, AS AMENDED, 10MM MIN AND 40MM MAX, THICKNESS.
- 5. MIX ST1 CONCRETE SHALL BE USED FOR BEDDING AND BACKING WITH 200 LONG X 20 DIA DOWEL BARS AT 450 CENTRES (TYPICAL).
- CHANNEL BLOCKS MUST BE LAID WITH TIGHT BUTT JOINTS AT THE ENDS WITH A 10 GAP LEFT BETWEEN THE KERBS AND CHANNEL BLOCK WHEN LAID TO ALLOW THE PLACING OF A MORTAR GROUT.
- 7. TYPE G KERBING IS SUITABLE FOR LIGHTLY TRAFFICKED PRIVATE ACCESSES AND PEDESTRIAN CROSSINGS. PRECAST CONCRETE KERBS, CHANNELS, EDGINGS AND QUADRANTS SHALL BE LAID IN ACCORDANCE WITH BS 7533-3. CODE OF PRACTICE FOR LAYING.
- 8. CONCRETE INFILL TO BE MIX ST2, 150mm THICK ON SUB-BASE TYPE 1 150 THICK. TAMPED FINISH WITH 150mm BORDER FLOAT FINISHED



Tyndall Street, Cardiff, CF10 4BZ

Tel: 44-(0)29-2076-9200

**NORTH & MID** WALES TRUNK ROAD AGENT

Site/Project


A470 LLANRWST PEDESTRIAN AND CYCLEWAY FACILITY


**TYPICAL** CONSTRUCTION **DETAILS** SHEET 2 OF 2

Drawn: SS	SS Checked: AB							
Designed: CR Approved: NH								
Date: 11/04/2016	Scale: N	cale: N.T.S. A3 Sheet: 2 OF 2						
Project Number:	Drawing Number:				Revision:			
70019782	1104				-			


© Copyright Parsons Brinckerhoff

PEDESTRIAN ISLAND REFUGE






#### Chainage 20.000m



#### Chainage 10.000m



Chainage 0.000m

CROSS-SECTION SCALE:- 1:200 H 1:100 V

#### NOTES:

- 1. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
- 2. DO NOT SCALE FROM THIS DRAWING.

PROPOSED LEVEL

EXISTING LEVEL

SITTING OUT POINT

TENDER DRAWING



Description



By Chk App

1 Capital Quarter, Tyndall Street, Cardiff, CF10 4BZ

Date

Tel: 44-(0)29-2076-9200

NORTH & MID WALES TRUNK ROAD AGENT


Site/Project:


A470 LLANRWST PEDESTRIAN AND CYCLEWAY FACILITY

itle:


RAMP PLAN, PROFILE AND CROSS-SECTION

Drawn: SS		Checke	d:	AB						
Designed: CR		Approved: NH								
Date: 11/04/2016	Date: 11/04/2016 Scale: AS					OF 1				
Project Number:		Drawing		Revision:						
70019782	2		11(	05		-				
© Copyright Parsons Brinckerhoff										





	SIGNAGE SCHEDULE																		
SIGN	GN SIGN FACE DETAILS						POSTS					INDIVIDUAL FOUNDATIONS PER POST					SETTING OUT		
REF.	TSRGD DIAGRAM NO.	TYPE	X-HEIGHT (mm)	WIDTH (mm)	HEIGHT/H (mm)	AREA (sq.m)	NUMBER OF POSTS	POST SIZE (mm)	MOUNTING HEIGHT/M (mm)	POST LENGTH/P (mm)	ILLUMINATED?	WIDTH/W (mm)	LENGTH/L (mm)	DEPTH/D (mm)	VOLUME (cu.m)	EARTH COVER/E (mm)	EASTINGS	NORTHINGS	
TS01	956	Reg.	100	600	600	0.28	1 (BACK TO	60.3 x 3.2	2300	3645	No	800	800	600	0.48	100	280355.95	360929.30	
1301	965	Reg.	100	485	645	0.31	BACK)		(BACK TO   CHE	2300	3043	140	800	800	000	0.40	100	200333.93	300929.30
TS02	956	Reg.	100	600	600	0.28	1 (BACK TO	1 BACK TO BACK) 60.3 x 3.2 CHS	2200	2600	Ne	750	750	600	0.40	100	280417.57	260917.42	
1502	956	Reg.	100	600	600	0.28	BACK)		2300	3600	No	750	750	600	0.42	100	280417.57	360817.43	
T000	956	Reg.	100	600	600	0.28	1 (7.1.01/ 7.0	1 '	'   600,400	2000	0000	N.	750	750	000	0.40	100	00040000	200002.24
TS03	956	Reg.	100	600	600	0.28	(BACK TO BACK)	CHS	2300	3600	No	750	750	600	0.42	100	280429.60	360803.31	
<b>T00</b>	956	Reg.	100	600	600	0.28		(BACK TO	60.3 x 3.2										252742.04
TS04	956	Reg.	100	600	600	0.28			CHS	2300	3600	No	750	750	600	0.42	100	280503.80	360718.91
T005	956	Reg.	100	600	600	0.28	1 (BACK TO	60.3 x 3.2	2000	0000	N.	750	750	000	0.40	100	202542.55	260707.04	
TS05	956	Reg.	100	600	600	0.28	BACK 10	CHS	(DACK TO   CLIC	2300	3600	No	750	750	600	0.42	100	280513.55	360707.81
	956	Reg.	100	600	600	0.28	1 (BACK TO	60.3 x 3.2	2000	0000	N.	750	750	000	0.40	100	000040.00	25255 22	
TS06	956	Reg.	100	600	600	0.28	BACK TO	CHS	2300	3600	No	750	750	600	0.42	100	280640.03	360575.90	
	956	Reg.	100	600	600	0.28	1 (DACK TO	60.3 x 3.2										252552.42	
TS07	956	Reg.	100	600	600	0.28	BACK TO	(BACK TO   CLIC	2300	3600	No	750	750	600	0.42	100	280651.05	360559.42	
RS01	610	Reg.	270	270	270	0.06	1			REFER TO	O CONTRACT S	PECIFICATION	ON FOR DET	AILS	'		280535.99	360676.02	
RS02	610	Reg.	270	270	270	0.06	1			REFER TO	O CONTRACT S	PECIFICATION	ON FOR DET	AILS			280538.86	360671.66	
RS03	610	Reg.	270	270	270	0.06	1			REFER T	O CONTRACT S	PECIFICATION	ON FOR DET	AILS			280647.40	360534.33	
RS04	610	Reg.	270	270	270	0.06	1			REFER TO	O CONTRACT S	PECIFICATION	ON FOR DET	AILS			280649.70	360530.83	



#### ROAD MARKING SCHEDULE

- (A) 1004 WHITE, 100mm WIDE, 4000mm LONG, 2000mm GAP.
- B 1023 WHITE, 625mm WIDE, 1875mm LONG APPROACH TRIANGLE SYMBOL.
- (1003 WHITE, 100mm WIDE, 300mm LONG, 150mm GAP, 250mm CENTERS (FOR PEDAL CYCLE).
- 1009 WHITE, 100mm WIDE, 300mm LONG, 150mm GAP (FOR PEDAL CYCLE)
- (E) 1057 WHITE, 1215mm CYCLE SYMBOL.
- F) 1055 WHITE, 100mm LONG 100mm WIDE, 500mm GAP.
- (G) 1038 WHITE, 4M LONG, RIGHT ARROW AND AHEAD ARROW.
- H 1040.2 WHITE, LONGITUDINAL LINES: 4m
  MARK, 2m GAP, 100mm THICK.
  HATCHES LINES: CONTINUOUS, 3000mm
  SPACING, 150mm THICK.
- 1025 YELLOW, 100mm WIDE, 1000mm LONG,
- (J) 1025-1S YELLOW, 200mm WIDE CONTINUOUS.
- 1025-V YELLOW, 'SAFLE BYSIAU BUS STOP'
  TEXT SIZE 1600mm, 1000mm GAP.
- 1039 White, 8m long, Bifurcation Right arrow.

#### NOTES:

- 1. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
- 2. DO NOT SCALE FROM THIS DRAWING.
- 3. TO BE READ IN CONJUNCTION WITH DRAWING 70019782-1201 & 1202.
- 4. TSRGD DIAGRAM NUMBERS FROM THE TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2016 AND SUBSEQUENT AMENDMENTS.
- 5. SETTING OUT COORDINATES ARE INDICATIVE ONLY. POSITIONS AREA TO BE AGREED ON SITE WITH THE PROJECT MANAGER/SUPERVISOR.
- 6. SIGN PLATES ARE TO BE ERECTED NO CLOSER THAN 450MM TO THE ADJACENT CARRIAGEWAY.
- 7. SOIL BEARING CAPACITY FOR POST FOUNDATION SHOULD BE 100 kpa.



WSP



1 Capital Quarter, Tyndall Street, Cardiff, CF10 4BZ

Tel: 44-(0)29-2076-9200

NORTH & MID WALES TRUNK ROAD AGENT

Site/Project:


A470 LLANRWST PEDESTRIAN AND CYCLEWAY FACILITY

ile:

SIGNAGE AND ROAD MARKING SCHEDULE

Drawn: SS		Checke	d:	AB					
Designed: CR		Approve	ed:	NH					
Date: 11/04/2016	Date: 11/04/2016 Scale: N					OF 1			
Project Number:		Drawing	Revision:						
70019782	2	,	120	03		ı			
© Copyright Parsons Brinckerhoff									





TSRGD SIGN 956

750 --

TSRGD SIGN 956

Sign 2

750 --

#### Signing Project Signing Project 485 645 Sign Reference Width (mm) Background x Height 100.0 Height (mm) Border White Material Class RA2 Signing Project Signing Project Sign Reference 956 Width (mm) 600 600 Background Green 100.0 x Height Height (mm) Border White 0.28 Class RA2 Area (m)

SIGN REFERENCE NO. :- TS01

Signing Project
Sign Reference
x Height

Signing Project

Class RA2

Width (mm)

Height (mm)

SIGN REFERENCE NO. :- TS02, TS03, TS04, TS05, TS06 AND TS07

600

Background Green

White

Border

956

#### NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
- 2. DO NOT SCALE FROM THIS DRAWING.
- 3. FOR SIGNAGE LOCATION AND DETAILS REFER TO DRAWING 1200 SERIES.
- 4. SOIL BEARING CAPACITY FOR POST FOUNDATION SHOULD BE 100 kpa.

Structural Calculation Details

Structural Calculation Details

Shape: Rectangle Orientation: Facing front Mounted on posts: 1 Mounting height: 2300mm

Reference: Sign 956 Width: 600mm, Height: 600mm

Mounted on posts: 1

Quantity: 1 Type: 60.3 x 3.2 CHS

Type: Combined Width: 800mm Length: 800mm Depth: 600mm Volume: 0.48cu.m Earth cover: 100mm Blinding layer: 150mm

Spacing: N/A Post 1 Length: 3645mm

Orientation: Facing back

Mounting height: 2300mm

Shape: Roundel

Reference: Sign 965 Width: 485mm, Height: 645mm

Signs:

Posts:

Base:

Signs: Reference: Sign 956 Width: 600mm, Height: 600mm Shape: Roundel Orientation: Facing back Mounted on posts: 1 Mounting height: 2300mm Reference: Sign 956 Width: 600mm, Height: 600mm Shape: Roundel Orientation: Facing front Mounted on posts: 1 Mounting height: 2300mm Posts: Quantity: 1 Type: 60.3 x 3.2 CHS Spacing: N/A Post 1 Length: 3600mm Base: Type: Combined Width: 750mm Length: 750mm Depth: 600mm Volume: 0.42cu.m Earth cover: 100mm Blinding layer: 150mm

Rev	Date	Descri	ption			Ву	Chk	Ар			
TENDER DRAWING											
	1 Capital Quarter, Tyndall Street, Cardiff, CF10 4BZ Tel: 44-(0)29-2076-9200										
Clier	VALES		ORTH RUNK			١GI	EΝ	Т			
Site/	A470 LLANRWST PEDESTRIAN AND CYCLEWAY FACILITY										
SIGNAGE FOUNDATION DETAILS											
Drav				Checke							
Desi	gned: CR : 11/04/2	-	Scale:	Approve		eet:	1 OF	1			
	ct Number:	2010	Juaie.	- Drawing	Number:	ou.	_	ı visio			

70019782

1204

© Copyright Parsons Brinckerhoff