CA1310 H 002

PROPOSED LAYOUT

C3152 GLASFRYN ROAD IMPROVEMENT



TYPICAL SECTION



NOTES

1. All dimensions are in mm unless stated otherwise.

LEGENDS:

CARRIAGEWAY:
-14mm close graded dense asphalt concrete surface course 40mm thick
-20mm nominal size aggregate asphalt concrete dense binder course 60mm thick
-32mm nominal size aggregate asphalt concrete base course 150mm thick
-Granular sub-base material TYPE 1 200mm thick

SHARED USE PATH:
-6mm close graded dense asphalt concrete surface course 20mm thick
-20mm nominal size aggregate asphalt concrete dense binder course 50mm thick
-Granular sub-base material TYPE 1 150mm thick

FOOTWAY:
-6mm close graded dense asphalt concrete surface course 25mm thick
-20mm nominal size aggregate asphalt concrete dense binder course 45mm thick
-Granular sub-base material TYPE 1 150mm thick

FOOTWAY:
-6mm close graded dense asphalt concrete red coloured surface course 20mm thick
-20mm nominal size aggregate asphalt concrete dense binder course 50mm thick
-Granular sub-base material TYPE 1 150mm thick

FIELD ACCESS:
-14mm close graded dense asphalt concrete surface course 40mm thick
-20mm nominal size aggregate asphalt concrete dense binder course 60mm thick
-Granular sub-base material TYPE 1 200mm thick

GRASS:
-Area to be topsoiled and grass seeded

OVERRUN AREA:

PEMBROKESHIRE HEDGE

REV.	DESCRIPTION	BY	DATE

PEMBROKESHIRE COUNTY COUNCIL
CYNGOR SIR PENFRO

Ian R Westley M.A. B.Eng(Hons), C.Eng. M.I.Mech.E., M.C.I.B.S.E.
Director of Transportation & Environment
Pembrokeshire County Council,
County Hall, HAVERFORDWEST,
Pembrokeshire. SA61 1TP
Tel: 01437 764551
Fax: 01437 764651

Cyfarwyddwr Cludiant ar Amgylchedd
Cyngor Sir Penfro,
Neuadd y Sir, HWLFFORDD,
Sir Benfro. SA61 1TP
Ffon: 01437 764551
Ffacs: 01437 769651

www.pembrokeshire.gov.uk

PROJECT TITLE
C3152 GLASFRYN ROAD IMPROVEMENT

DRAWING TITLE
PROPOSED LAYOUT

SCALE	DRAWN BY	SA	01/14
1:500 @ A0	CHECKED	••	••

PROJECT PHASE

DRAWING No. CA1310 H 002